






Laboratory Door Hazard Caution Placard Form

	✓ if needed		✓ if needed		✓ if needed
	<input type="checkbox"/>		<input type="checkbox"/>	 Skull and Crossbones	<input type="checkbox"/>
	<input type="checkbox"/>		<input type="checkbox"/>	 Health Hazard	<input type="checkbox"/>
	<input type="checkbox"/>		<input type="checkbox"/>	 Exclamation Mark	<input type="checkbox"/>
	<input type="checkbox"/>	 Gas Cylinder	<input type="checkbox"/>	 Environment	<input type="checkbox"/>
	<input type="checkbox"/>	 Flame	<input type="checkbox"/>	 Radiation	<input type="checkbox"/>
	<input type="checkbox"/>	 Flame Over Circle	<input type="checkbox"/>	 X-Ray Rayon X Caution	<input type="checkbox"/>
	<input type="checkbox"/>	 Exploding Bomb	<input type="checkbox"/>	 Biohazard Level	<input type="checkbox"/>
	<input type="checkbox"/>	 Corrosion	<input type="checkbox"/>	 No Food or Drink	<input type="checkbox"/>

CONTACT	NAME	LOCATION	PHONE
Principal investigator			
Lab supervisor			
Emergency			

Room # _____